

KOMO[®] Product certificate **K110114/01**



Issued

2023-02-15

Replaces

Valid until

Indefinite

Dated

Page

1 of 2



BioPERT pipes

COMAP Benelux NV

STATEMENT BY KIWA

This product certificate is based on Guideline BRL 5607 Plastics piping systems of PE-RT intended for heating installations: radiator connections dated 25 October 2016 inclusive amendment sheet dated 1st of February 2022, issued according to the Kiwa-Regulation for Certification.

The quality system and the product characteristics of this product are checked periodically. Based on this, **Kiwa declares that** there is legitimate confidence that:

Upon delivery, the product supplied by the certificate holder meets the requirements:

- Of the technical specifications laid down in this product certificate,
- The product requirements laid down both in this product certificate and in the Guideline BRL 5607 Plastics piping systems of PE-RT intended for heating installations: radiator connections.

This product certificate is only valid in combination with a KOMO certified plastics piping system.

Ron Scheepers

Kiwa

This product certificate is only valid in combination with a KOMO certified plastics piping system.

This product certificate is also included on the KOMO foundation websites: www.komo.nl and www.komo-online.nl.

Users of this product certificate is advised to check whether it is still valid. For this purpose consult the website of Kiwa: www.kiwa.nl.

Certificate holder COMAP Benelux NV Alsembergsesteenweg 454 B-1653 DWORP Belgium Tel. (0)2 371 01 61

Tel. (0)2 371 01 61 Fax (0)2 378 23 39 info@comap.be www.comap-group.com Production location Comap Nevers Route de Coulangs 8 58000 Nevers France



Kiwa Nederland B.V.



- Quality system
- Product Periodic control

page 2 of 2

BioPERT Pipes

TECHNICAL SPECIFICATION

This product certificate relates to the product characteristics of BioPERT pipe.

Product characteristics

The product complies to BRL 5607 Plastics piping systems of PE-RT intended for heating installations: radiator connections.

Specification

The dimensions of the 5-layer pipe (PE-RT type 2/EVOH/PE) in the table below are part of this certificate.

Nominal outside diameter (mm)	Wall thickness (mm)
16	2,0

Colour: inside/outside: orange/natural

Remark: The pipe is also suitable for floorheating

Marking

The products shall be marked with the KOMO® mark.

Pipes

The minimum required marking on the pipes shall be:

- KOMO (or KOMO® word mark) + class 5/ 6 bar;
- material identification: PE-RT Type 2;
- the build up of the pipe: PE-RT/EVOH/PE;
- · certificate number of accompanying technical approval-with-product certificate of the piping system;
- the manufacturer's name, trade name, system name or logo;
- nominal outside diameter and nominal wall thickness of the pipe in mm;
- production code.

The realization of the marks is as follows: clear, durable and indelible at intervals of not more than 2 meters.

Logistics

Production and assembly of the system is laid down in the annex of the certification agreement.

APPLICATION AND USE

The products are intended to be used for piping systems for heating installations: radiator connections and floor heating systems with a lifetime of 50 years at an operating temperature profile according to class 4/5 of ISO 10508 and an allowable working pressure of maximum 6 bar.

RECOMMENDATIONS FOR USERS

Check on delivery of the products listed under the "technical specification" whether:

- The product(s) and material(s) ordered are delivered in accordance with the agreement you made.
- The brand and the method of marking is correct
- No defects or damage is visible (for example, resulting from the transportation).

If on the basis of the foregoing you decide to proceed to rejection, please contact

COMAP Benelux NV

And if necessary,

Kiwa Nederland B.V.

Carry out the storage, transport and processing in accordance with the provisions included in this product certificate and/or documents of the certificate holder.

